

## Antibodies Product Datasheet

<b>Product Name:</b>	PLC $\gamma$ 1 (Phospho-Tyr783) Antibody
<b>Catalog Number:</b>	A0080
<b>Reactivity:</b>	Human, Mouse, Rat, Monkey
<b>Applications:</b>	WB, IHC-p, IF(paraffin section), ELISA
<b>Dilutions:</b>	Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/10000. Not yet tested in other applications.
<b>Modification:</b>	Phospho Specific
<b>Source:</b>	Polyclonal Rabbit
<b>Purification:</b>	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
<b>Immunogen:</b>	The antiserum was produced against synthesized peptide derived from human PLCG1 around the phosphorylation site of Tyr783. AA range:751-800
<b>Concentration:</b>	1 mg/ml
<b>Gene Name:</b>	PLCG1
<b>Protein Name:</b>	1-phosphatidylinositol 4,5-bisphosphate phosphodiesterase gamma-1
<b>Other Name:</b>	PLCG1; PLC1; 1-phosphatidylinositol 4; 5-bisphosphate phosphodiesterase gamma-1; PLC-148; Phosphoinositide phospholipase C-gamma-1; Phospholipase C-II; PLC-II; Phospholipase C-gamma-1; PLC-gamma-1
<b>Human Swiss Prot No.:</b>	P19174
<b>Formulation:</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
<b>Specificity:</b>	Phospho-PLC $\gamma$ 1 (Y783) Polyclonal Antibody detects endogenous levels of PLC $\gamma$ 1 protein only when phosphorylated at Y783.
<b>Storage and Stability:</b>	-20°C/1 year